

3D PDF DATASHEET



eCATALOGsolutions



BIM catalogs.net



PARTsolutions



Create Your Individual 3D PDF Datasheet



Learn How to Create Your Mechanical Product Catalog



Learn How to Create Your BIM Product Catalog



Reduce Your Costs in Engineering and Purchasing



TLC28CSW-802RSSStandard10401

ROLLON
BY TIMKEN

3D View

To activate the interactive 3D view, you must trust this document (see hint on the top) in Adobe Acrobat and click on the question mark.



Zoom

Moves you toward or away from objects in the scene when you drag vertically. You can also zoom with the hand tool by holding down Shift as you drag.



Pan

Moves the model vertically and horizontally only. You can also pan with the hand tool: Ctrl-drag.



Rotate

Turns 3D objects around relative to the screen. How the objects move depends on the starting view, where you start dragging and the direction in which you drag.

3D PDF DATASHEET

Create Your Individual 3D PDF
Datasheet



 **eCATALOG**solutions

Learn How to Create Your
Mechanical Product Catalog



 **BIM** catalogs.net

Learn How to Create Your BIM
Product Catalog



 **PART**solutions

Reduce Your Costs in
Engineering and Purchasing



TLC28CSW-802RSSStandard10401

ROLLON
BY TIMKEN

2D derivation




ISO View



3D PDF DATASHEET



eCATALOGsolutions



BIM catalogs.net



PARTsolutions



Create Your Individual 3D PDF
Datasheet



Learn How to Create Your
Mechanical Product Catalog



Learn How to Create Your BIM
Product Catalog



Reduce Your Costs in
Engineering and Purchasing




TLC28CSW-802RSSStandard10401


ROLLON
BY TIMKEN

Technical drawings

TL.../NTE28
TL.../NTE28L




UL.../NUE28
UL.../NUE28L




min. 24
max. 25.3

TL.../CSW28-T




UL.../CSW28-U




min. 23.3
max. 25.2

TL.../CDW28-T



UL.../CDW28-U



min. 23.5
max. 25.4

3D PDF DATASHEET

Create Your Individual 3D PDF Datasheet



 **eCATALOG**solutions

Learn How to Create Your Mechanical Product Catalog



 **BIM**catalogs.net

Learn How to Create Your BIM Product Catalog



 **PART**solutions

Reduce Your Costs in Engineering and Purchasing



TLC28CSW-802RSStandard10401

ROLLON
BY TIMKEN


Technical Data

GUI (Rail)	TLC
DIM (Dimension)	28
INFO (Catalogue)	Catalogue
CUR (Slider)	CSW
VC (Slider version)	-
NC (Bearing Number)	-
CONF (Configuration)	-
LB (Bar Length / mm)	80
TC (Bearing Type)	2RS
CC (Bearing Configuration)	Standard
L (Rail length / mm)	1040
NCR (No. of slider)	1

3D PDF DATASHEET



 **eCATALOG**solutions



 **BIM** catalogs.net



 **PART**solutions



Create Your Individual 3D PDF
Datasheet



Learn How to Create Your
Mechanical Product Catalog



Learn How to Create Your BIM
Product Catalog



Reduce Your Costs in
Engineering and Purchasing



TLC28CSW-802RSSStandard10401

ROLLON
BY TIMKEN

Bill of Materials

N°	Description	Amount
1	TLC28-1040-1-CSW28-80-2RS-T	1